## 48-Port Category 6A Patch Panel



- A. Blank Patch Panel, 48 port; 1 pc
- B. 8P8C Category 6A Coupler Module; 48 pcs
- C. #12-24 x 5/8" Pan Head, Pilot Point Machine Screw; 4 pcs




## **Features and Benefits**


- Rack mounted reinforced steel panel with pre-numbered ports
- Designed to fit all standard 19" racks and cabinets
- 2 rack mount space (RMS)
- PCB technology provides maximum performance and superior signal quality
- Enhanced crosstalk cancellation reduces return loss and improves performance by rejecting noise and unwanted signals
- Reduced rear footprint allows for greater connectivity density and provides for more port configuration in a smaller area
- Backwards Compatible to all lower rated category components
- ANSI/TIA-568-C and UL 1863 compliant
- Country Of Origin: Taiwan
- TAA Compliant



Rev: A Page 1 of 2







## **NOTE: UNLESS OTHERWISE SPECIFIED**

1. BLANK PATCH PANELS:

A. MATERIAL: 16GA CRS

B. SURFACE FINISH: BLACK POWDER COAT

2. 48 PORT HD BEZEL:

A. MATERIAL: ABS, UL 94V-0

3. CAT 6A MODULE:

A. ELECTRICAL:

CURRENT RATING: 1.5 AMPS

VOLTAGE RATING: 150 VOLTS AV

DIELECTRIC WITHSTANDING VOLTAGE: 1000 VOLTS RMS, 60HZ

- INSULATION RESISTANCE: >10 MOHMS

B. MECHANICAL:

MATING FORCE: 5lbs. MAX

UNMATING FORCE: 5lbs. MAX

PLUG RETENTION IN JACK: 20lbs. MAX

- DURABILITY: 750 CYCLES

C. MATERIAL & FINISH:

HOUSING: ABS UL 94V-0

 CONTACT: PHOSPHOR BRONZE ALLOY PLATED WITH 50 μin OF GOLD OVER 70~100 μin OF NICKEL

- GOLD PLATING: 1.27 MICRON/ 50 MICRO INCH MIN

Part No: ICMPP48CPA

Rev: A Page 2 of 2 I 888-ASK-4ICC icc.com csr@icc.com

